

Cell: FY48**Comment:** Rick Heede:

CAI compares entity emissions to the CDIAC / Global Carbon Project (www.globalcarbonproject.org) annual estimate of carbon dioxidee emissions from fossil fuels and cement production. The CAI Carbon Majors methodology is based on the CDIAC methodology; see: Heede, Richard (2019) Carbon Majors: Accounting for carbon and methane emissions 1854–2010 Methods & Results Report, ISBN 978-3-659-57841-0, OmniScriptum, Riga, 148 pp.

Reference of the full global carbon budget 2019: Pierre Friedlingstein, Matthew W. Jones, Michael O'Sullivan, Robbie M. Andrew, Judith Hauck, Glen P. Peters, Wouter Peters, Julia Pongratz, Stephen Sitch, Corinne Le Quéré, Dorothee C. E. Bakker, Josep G. Canadell, Philippe Ciais, Rob Jackson, Peter Anthoni, Leticia Barbero, Ana Bastos, Vladislav Bastrikov, Meike Becker, Laurent Bopp, Erik Buitenhuis, Naveen Chandra, Frédéric Chevallier, Louise P. Chini, Kim I. Currie, Richard A. Feely, Marion Gehlen, Dennis Gilfillan, Thanos Gkritzalis, Daniel S. Goll, Nicolas Gruber, Sören Gutekunst, Ian Harris, Vanessa Haverd, Richard A. Houghton, George Hurtt, Tatiana Ilyina, Atul K. Jain, Emilie Joetzjer, Jed O. Kaplan, Etsushi Kato, Kees Klein Goldewijk, Jan Ivar Korsbakken, Peter Landschützer, Siv K. Lauvset, Nathalie Lefèvre, Andrew Lenton, Sebastian Lienert, Danica Lombardozzi, Gregg Marland, Patrick C. McGuire, Joe R. Melton, Nicolas Metzl, David R. Munro, Julia E. M. S. Nabel, Shin-Ichiro Nakaoaka, Craig Neill, Abdirahman M. Omar, Tsuneo Ono, Anna Peregon, Denis Pierrot, Benjamin Poulter, Gregor Rehder, Laure Resplandy, Eddy Robertson, Christian Rödenbeck, Roland Séférian, Jörg Schwinger, Naomi Smith, Pieter P. Tans, Hanqin Tian, Bronte Tilbrook, Francesco N Tubiello, Guido R. van der Werf, Andrew J. Wiltsshire, Sönke Zaehle. Global Carbon Budget 2019, Earth Syst. Sci. Data, 2019.

See also: Gilfillan, D., Marland, G., Boden, T. and Andres, R.: Global, Regional, and National Fossil-Fuel CO₂ Emissions.

Cell: FY54**Comment:** Rick Heede:

The study's total fugitive and vented methane from oil and natural gas systems and coal mining are summed here and compared to CDIAC's estimate for 1860 to 1969 (Stern & Kaufmann, 1998). CAI uses revised data rom EDGAR for 1970-2015, with extrapolation by CAI for 2016-2018 (based on growth of emissions from oil, gas, and coal production). There is a non-linearity at 1969/1970 btw datasets.

Methane emissions may be revised if a more comprehensive and integrated dataset becomes available.

Furthermore, the Stern & Kaufman does not estimate methane emissions from oil (only gas-related CH₄). The most recent EDGAR Nov19 datasets aggregate methane emissions from the Oil & Gas sector. CAI disaggregates methane from oil and methane from gas on the basis of an earlier EDGAR dataset 1970-2008 that reports CH₄ from oil and gas separately. CAI uses this average allocation of ~65% from gas and ~30.5% from oil to estimate methane emissions from both sectors. This, given the fluctuations of methane emissions --the proportion from natural gas increases over time (from 50% in 1970 to 76% in 2008) -- this disaggregation is only approximate.

Stern, David I., & Robert K. Kaufmann (1998) "Annual Estimates of Global Anthropogenic Methane Emissions: 1860-1994," in Trends Online: A Compendium of Data on Global Change, Carbon Dioxide Information Analysis Center, Oak Ridge National Lab., U.S. DOE, Oak Ridge, Tenn., U.S.A. <http://cdiac.esd.ornl.gov/trends/meth/ch4.htm#flaring>

Crippa, M., G. Oreggioni, M. Guizzardi, M. Muntean, E. Schaaf, E. Lo Vullo, E. Solazzo, F. Monforti-Ferrario, J.G.J. Olivier, & E. Vignati (2019) Fossil CO₂ and GHG emissions of all world countries - 2019 Report, Publications Office of the European Union, Luxembourg. ISBN 978-92-76-11100-9. https://edgar.jrc.ec.europa.eu/overview.php?vp_GHG <https://doi.org/10.5194/essd-11-1783-2019>